


Round Prairie Extension RG3D®

285.03 Sq. Miles | Roosevelt & Sheridan Counties, MT



Bin Size: 110 ft x 110 ft
 Nominal Fold: 120

SOURCE PARAMETERS

Source Point Interval: 220 ft
 Source Line Spacing: 880 ft
 Energy Source: 3 vibrators
 1 x 36 second sweeps

RECORDING PARAMETERS

Receiver Point Interval: 220 ft
 Receiver Line Spacing: 1,100 ft
 Recording Patch: 20 lines x 96 receivers
 Record Length: 5 seconds

Maximum Far Offset: 15,093 ft
 Maximum Far Offset Inline: 10,450 ft
 Maximum Far Offset Crossline: 10,890 ft

Recording System: AutoSeis® HDR
 Geophones: 10 Hz, 6 per station

PROCESSING

VTI-Anisotropic Pre Stack Time Migration

Data current as of October 22, 2014

DATA AVAILABLE

For complete
 Multi Client Data Information:
www.globalgeophysical.com/MultiClient

DATA EXCLUSIVELY MARKETING BY:

GEOPHYSICAL PURSUIT, INC.

1740 Westheimer Suite 200 Houston, TX 77098 (713) 529-3000

2895 Highway 190 Suite 227 Mandeville, LA 70471 (985) 727-6720

www.geopursuit.com

DATA OWNED BY:

